US00D631392S

(12) **United States Design Patent**   (10) **Patent No.:**   **US D631,392 S**

Lawson   (45) **Date of Patent:** ✶✶ *Jan. 25, 2011

(54) **SIDE RELEASE BUCKLE**

(75) Inventor: **Thomas M. Lawson**, Bentonville, AR (US)

(73) Assignee: **Stout Stuff, LLC**, Bentonville, AR (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/355,274**

(22) Filed: **Feb. 4, 2010**

(51) **LOC (9) Cl.** **02-07**
(52) **U.S. Cl.** **D11/213**
(58) **Field of Classification Search** .... D11/1–2, D11/200–201, 206–210, 214–218; 24/163 R, 24/169–171, 173, 177–179, 191, 194–195, 24/197, 200
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,150,464 A	4/1979	Tracy
4,672,725 A	6/1987	Kasai
4,800,629 A	1/1989	Ikeda
4,831,694 A	5/1989	Kong
5,222,279 A	6/1993	Frano et al.
D359,464 S *	6/1995	Grasso et al. D11/216
5,456,213 A	10/1995	Beauchamp

D421,669 S	3/2000	Moehring
D433,650 S *	11/2000	Gable D11/200
D519,409 S	4/2006	Sporn

* cited by examiner

Primary Examiner—Ralf Seifert
(74) *Attorney, Agent, or Firm*—Larkin Hoffman Daly & Lindgren Ltd.; Thomas J. Oppold

(57) **CLAIM**

The ornamental design for a side release buckle, as shown and described.

DESCRIPTION

FIG. **1** is a perspective view of the buckle of the present design.

FIG. **2** is a top plan view of the buckle of FIG. **1**.

FIG. **3** is a bottom plan view of the buckle of FIG. **1**.

FIG. **4** is a left side elevation view of the buckle of FIG. **1**.

FIG. **5** is a right side elevation view of the buckle of FIG. **1**.

FIG. **6** is a front elevation view of the buckle of FIG. **1**; and,

FIG. **7** is a rear elevation view of the buckle of FIG. **1**.

The broken line showing of a strap is included for the purpose of illustrating environmental matter and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets

Fig. 1

Fig. 2

Fig. 3

Fig. 4

Fig. 5

Fig. 6

Fig. 7