



US00D740101S

(12) **United States Design Patent**  
**Chance et al.**

(10) **Patent No.:** **US D740,101 S**

(45) **Date of Patent:** **\*\* Oct. 6, 2015**

(54) **BONE SHAPED SLIDE LOCK**

(56) **References Cited**

(71) Applicant: **Stout Stuff, LLC**, Bentonville, AR (US)

U.S. PATENT DOCUMENTS

(72) Inventors: **Christopher E. Chance**, Bella Vista, AR (US); **Thomas Lawson**, Rogers, AR (US); **Andrew Bojie**, Centerton, AR (US); **Jake Mackenzie Houser**, Bentonville, AR (US); **Timothy Hart**, Rogers, AR (US)

3,439,515	A *	4/1969	Gehrie .....	70/288
4,791,756	A *	12/1988	Simpson .....	49/175
5,145,221	A *	9/1992	Pennebaker et al. ....	292/175
5,881,582	A *	3/1999	Monaco .....	70/14
D409,473	S *	5/1999	Tieu .....	D8/342
D455,063	S *	4/2002	Anderson .....	D8/339
6,668,428	B2 *	12/2003	Moeller .....	24/163 R
D631,636	S *	2/2011	Hague .....	D1/106
D654,777	S *	2/2012	Beres et al. ....	D8/339
D658,036	S *	4/2012	Fong .....	D8/339
D658,821	S *	5/2012	Viola .....	D30/160
8,910,596	B2 *	12/2014	Finlan .....	119/863

(73) Assignee: **Stout Stuff, LLC**, Bentonville, AR (US)

(\*\*) Term: **14 Years**

\* cited by examiner

(21) Appl. No.: **29/498,108**

*Primary Examiner* — Prabhakar Deshmukh

(22) Filed: **Jul. 31, 2014**

(74) *Attorney, Agent, or Firm* — Thomas J. Oppold; Larkin Hoffman Daly & Lindgren, Ltd.

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 29/444,587, filed on Jan. 31, 2013, now Pat. No. Des. 713,099.

(51) **LOC (10) Cl.** ..... **08-07**

(52) **U.S. Cl.**  
USPC ..... **D8/339**; D8/330; D8/341

(58) **Field of Classification Search**  
USPC ..... D8/330, 331, 339-342, 349, 367, 400;  
70/14, 19, 57, 57.1, 58, 51, 52, 199,  
70/237, 240, 431, 288, 94, 99; 292/92,  
292/339, 259 R, 259 A, 57, 262, 273, 305,  
292/306, DIG. 47, DIG. 55, DIG. 60; 49/57,  
49/61, 62, 303, 463-466  
CPC ..... E05B 3/00; E05B 9/02; E05B 15/00;  
E05B 55/00

See application file for complete search history.


**CLAIM**


The ornamental design for a bone shaped slide lock, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of a bone shaped slide lock showing our new design, shown in the environmental use; FIG. 2 is an enlarged perspective view of a bone shaped slide lock, encircled in FIG. 1; FIG. 3 is a front elevational view thereof; FIG. 4 is a left side elevational view thereof; FIG. 5 is a right side elevational view thereof; FIG. 6 is a top plan view thereof; FIG. 7 is a bottom plan view thereof; and, FIG. 8 is a rear elevational view thereof. The dashed lines in FIG. 1 illustrate environment and forms no part of the claimed design. The broken lines in FIGS. 2, 4, 5, and 8 indicate the boundary and form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**





**FIG. 1**



**FIG. 2**




FIG. 6




FIG. 4




FIG. 3




FIG. 5



FIG. 7




FIG. 8